

AMENDMENTS TO THE CLAIMS

Claims 1-6 (Cancelled).

7. (Previously presented) A composition of the formulae:

- 5 (a) $M-F_m-O-(CR_2)_2-S_n-(CR_2)_2-O-M^1$; or
(b) $M-Z-A-O-(CR_2)_2-S_n-(CR_2)_2-F'_{(m+1)}-O-A-Z^1-M^1$,

wherein

C, O and S have their normal meaning of carbon, oxygen and sulfur;

n is at least 2 and not more than about 8;

10 F is of the formula $-O-(CR_2)_2-S_n-(CR_2)_2-O-A-$;

F' is of the formula $-O-A-O-(CR_2)_2-S_n-(CR_2)_2-$;

m is at least 1;

Z and Z^1 are the same or different and are oxy or amino;

M and M^1 are the same or different and are hydrogen or an organic substituent;

15 Each R is a hydrogen or organic monovalent radical having from 2 to 20 carbon atoms;

and

A is the residue of a dicarboxylic acid of from 2 to 40 carbon atoms, which includes carbonyl groups.

20

8. (Previously presented) A composition according to claim 7, wherein R, M and M^1 are hydrogen and A is of from 2 to 12 carbon atoms.

9. (Previously presented) A composition of the formulae:

(a) $H-F_m-O-(CR_2)_2-S_n-(CR_2)_2-O-H$; or

(b) $H-O-A-O-(CR_2)_2-S_n-(CR_2)_2-F^l_{(m+1)}-O-A-O-H$,

wherein

5 C, O, H and S have their normal meaning of carbon, oxygen, hydrogen and sulfur;

n is at least 2 and not more than about 8;

F is of the formula $-O-(CH_2)_2-S_n-(CH_2)_2-O-A-$;

F^l is of the formula $-O-A-O-(CH_2)_2-S_n-(CH_2)_2-$;

m is at least 1; and

10 A is a fatty acid dimer residue, which includes carbonyl groups.

10. (Previously presented) A composition according to claim 7, wherein:

M is defined as WR²- and

M¹ is defined as W¹R³-,



15 wherein:

R² and R³ are the same or different and are an organic divalent radical having from 2 to 12 carbon atoms; and

W and W¹ are the same or different, and are amino and substituted amino of from about 1 to 6 carbon atoms, hydroxyl, carboxyl, isothiocyanate, isocyanate, oxo-carbonyl, 20 non-oxo-carbonyl, siloxane, silane, cyclocarbonate, active olefin, or active halogen.

Claims 11-19. (Cancelled).

20. (Previously presented) A composition of the formulae:



wherein:

5 C, O, H and S have their normal meaning of carbon, oxygen, hydrogen and sulfur;

n is at least 2 and not more than about 8;

F is of the formula $-\text{O}-(\text{CH}_2)_2-\text{S}_n-(\text{CH}_2)_2-\text{O}-\text{A}-$;

F^l is of the formula $-\text{O}-\text{A}-\text{O}-(\text{CH}_2)_2-\text{S}_n-(\text{CH}_2)_2-$;



m is at least 1;

10 and A is the residue of a malonic, succinic, glutaric, adipic, pimelic, suberic, azelaic, sebacic, maleic, fumaric, phthalic, isophthalic, terephthalic, hemimellitic, trimellitic, trimesic, nonane-dicarboxylic, decane-di-carboxylic, brassylic, dithiodiacetic, dithiodipropionic, dithiodibutyric, which includes carbonyl groups.

15 21. (Currently amended) A composition resulting from the reaction of the reactants di(hydroxyethyl)disulfide, succinic or adipic acid ~~and dimethylolpropionic acid~~ and an acid catalyst at a temperature in the range of about greater than or equal to 90°C and less than 180°C, or greater than or equal to 90°C and less than or equal to 150°C, or greater than or equal to 120°C and less than or equal to 150°C, or about 120°C.

20

22. (Previously presented) A composition of the formula:



wherein

C, O, H and S have their normal meaning of carbon, oxygen and sulfur;

n is at least 2 and not more than about 8;

F is of the formula $-O-(CH_2)_2-S_n-(CH_2)_2-O-A-$;

5 F' is of the formula $-O-A-O-(CH_2)_2-S_n-(CH_2)_2-$;

m is at least 1;

Z and Z^1 are the same or different and are oxy or amino; and

A is a fatty acid dimer residue.

Claims 23-27. (Cancelled).